

COROMAL



ELEMENT



COROMALWINDSOR.COM.AU



ELEMENT

E552S



Body Length (mm)	5,500
Overall Length (mm)	7,320
Overall Height – Standard (mm)	2,860
Interior Height (mm)	1,980
Overall Body Width (mm)	2,480
Tare Weight (kg)	1,850*
ATM Weight (kg)	2,150*

E553S



Body Length (mm)	5,500
Overall Length (mm)	7,320
Overall Height – Standard (mm)	2,860
Interior Height (mm)	1,980
Overall Body Width (mm)	2,480
Tare Weight (kg)	1,850*
ATM Weight (kg)	2,150*

E612S



Body Length (mm)	6,153
Overall Length (mm)	7,670
Overall Height – Standard (mm)	2,860
Interior Height (mm)	1,980
Overall Body Width (mm)	2,480
Tare Weight (kg)	2,100*
ATM Weight (kg)	2,500*

E614S



Body Length (mm)	6,153
Overall Length (mm)	7,790
Overall Height – Standard (mm)	2,860
Interior Height (mm)	1,980
Overall Body Width (mm)	2,480
Tare Weight (kg)	2,100*
ATM Weight (kg)	2,500*

E632S



Body Length (mm)	6,300
Overall Length (mm)	8,100
Overall Height – Standard (mm)	2,860
Interior Height (mm)	1,980
Overall Body Width (mm)	2,480
Tare Weight (kg)	2,170*
ATM Weight (kg)	2,570*

E634S



Body Length (mm)	6,300
Overall Length (mm)	8,100
Overall Height – Standard (mm)	2,860
Interior Height (mm)	1,980
Overall Body Width (mm)	2,480
Tare Weight (kg)	2,210*
ATM Weight (kg)	2,610*

*Note: Weights and specifications shown are indicative and are meant as a guide only. Weights may vary between builds and will change when adding options. Due to progressive product improvements all specifications are subject to change without notice. Images are not to scale and are only for illustration purposes.



ELEMENT

E636S



Body Length (mm)	6,300
Overall Length (mm)	8,100
Overall Height – Standard (mm)	2,860
Interior Height (mm)	1,980
Overall Body Width (mm)	2,480
Tare Weight (kg)	2,080*
ATM Weight (kg)	2,480*

E661S



Body Length (mm)	6,600
Overall Length (mm)	8,410
Overall Height – Standard (mm)	2,860
Interior Height (mm)	1,980
Overall Body Width (mm)	2,480
Tare Weight (kg)	2,350*
ATM Weight (kg)	2,750*

E662S



Body Length (mm)	6,600
Overall Length (mm)	8,120
Overall Height – Standard (mm)	2,860
Interior Height (mm)	1,980
Overall Body Width (mm)	2,480
Tare Weight (kg)	2,200*
ATM Weight (kg)	2,600*

E663S



Body Length (mm)	6,600
Overall Length (mm)	8,410
Overall Height – Standard (mm)	2,860
Interior Height (mm)	1,980
Overall Body Width (mm)	2,480
Tare Weight (kg)	2,260*
ATM Weight (kg)	2,660*

E696S



Body Length (mm)	6,900
Overall Length (mm)	8,710
Overall Height – Standard (mm)	2,860
Interior Height (mm)	1,980
Overall Body Width (mm)	2,480
Tare Weight (kg)	2,330*
ATM Weight (kg)	2,730*

*Note: Weights and specifications shown are indicative and are meant as a guide only. Weights may vary between builds and will change when adding options. Due to progressive product improvements all specifications are subject to change without notice. Images are not to scale and are only for illustration purposes.



COROMAL

ELEMENT SPECIFICATIONS

CHASSIS

Welded DuraGal Steel Chassis
Coupling fixed 3500kg
Easy-Tow Tourer Independent Suspension
15" Tyres with alloy wheels plus spare steel wheel
Gas bottle mount on A-frame
8" Jockey wheel with quick release jack legs
Step - recessed
Water tank guard

APPLIANCES

Air conditioner
Stove with grill (1 electric / 3 gas burners)
190L AES 3-Way Fridge (12V / 240V / Gas)
Hot Water System (Gas / 240V)
Microwave 25L
12V Rangehood with twin lights
22" TV on arm
Radio / CD / DVD / USB / Bluetooth Colour touch screen
Internal speakers x2, External speakers x2
Antenna - Digital Winegard Sensor
Prewired reversing camera provision

POWER & ELECTRICS

External 240V power outlet, USB 12V / CIG socket
External TV antenna inlet
External TV coaxial outlet
Prewired solar wire provision
12V Battery provision
Transformer - 12V power supply / battery charger 25amp
12V mains light over-ride switch
Power Point (USB Point & 12V Cigarette) - dinette, bedroom
Annex lights x2
Light strip to kitchen overhead cupboards
Reading lights to bedroom x2 and Dinette x2
Pelmet Lights

GAS

Gas bottles 9kg x2
Double regulator

SAFETY

Electronic stability control braking system with breakaway brakes
Entry light and grab handle
Non-slip ABS recessed entry step

CONSTRUCTION

Future Teck™ Rear wall
Front tunnel boot with boot light
Front high stone guard
Push out Viento windows
Flyscreen and blackout blinds
Roll-out awning
Roof hatch x2
Outdoor Picnic table

KITCHEN & PLUMBING

Kitchen sink - stainless steel bowl and drainer
Kitchen tap - swivel mixer
Kitchen splashback full height
Water gauge
Lockable water filler to each tank
Mains water tap to A-frame
Mains water inlet
12V water pump
Moulded cutlery tray
Laminated plywood benchtops
Flush gloss kitchen cabinets with soft close drawers
Dinette drawer/s

BEDROOM

Upholstered head board
Bed frame (Queen) - slatted with 100mm extension
Lift up bed - storage access
Bed drawer/s

MODEL SPECIFIC STANDARDS

Spare wheel mount on rear bumper	E552S E553S E614S E632S E634S E636S E661S E663S E696S
Spare wheel mount under body	E612S E662S
USB sockets to bunks	E636S E696S
Reading lights to bunks	E636S E696S
Washing machine top load 2.5kg	E612S E614S E632S E634S E661S E662S E663S
Washing machine front load 4kg	E696S
Ceramic raised vanity basin	E552S E553S E612S E614S E632S E634S E661S E662S E663S

**Note: Appliances may vary depending on availability. Not all items may be listed in this publication. Specifications are subject to change due to progress product improvements.*